

CORROSION — 1981 INDEX

This complete index to the 12 issues of *Corrosion* journal published in 1981 includes the editorial and technical contents of each issue, an alphabetical subject index, and alphabetical author index. To locate information published during 1981, refer to the designated month and page number. Reprints of any article that has been published in *Corrosion* are available from NACE Headquarters, P. O. Box 218340, Houston, Texas 77218.

Corrosion — Technical Contents Index, Volume 37, 1981

January

Effect of Chromate Inhibitor on the Mechanical and Electrochemical Components of Erosion-Corrosion in Aqueous Slurries of Sand
John Postlethwaite 1

Sulfide Corrosion Cracking of Linepipe for Sour Gas Service
T. Taira, K. Tsukada
Y. Kobayashi, H. Inagaki
and T. Watanabe 5

Effect of Sodium Nitrite Inhibitor on the Corrosion Behavior of Cold Tension Twisted Mild Steel (Tor Steel) in Neutral Chloride Solutions
P. K. Srivastava, G. W. Kapse,
A. K. Patwardhan, and
M. L. Mehta 16

Surface Composition of Stainless Steel During Propagation of Crevice Corrosion
S. Zakipour and C. Leygraf 21

Surface Characteristics of Cold-Rolled Steel as They Affect Paint Performance
Robert A. Iezzi and
H. Leidheiser, Jr. 28

The Effect of Heat Treatment on the Degree of Sensitization of Type 304 Stainless Steel
P. Chung and S. Szklarska-
Smialowska 39

Environmental Cracking of High Strength Maraging Steels: Part 1 — Aqueous NaCl Solution
D. H. Bradhurst and P. M. Heuer ... 50

Technical Note: Corrosion Behavior of Laser Consolidated Titanium Coated Steel in Sea Water
J. D. Ayers, R. J. Schaefer,
F. D. Bogar, and E. McCafferty 55

Technical Note: The Influence of Crevice Chemistry on Constant Extension Rate Tensile (CERT) Tests of 304L Stainless Steel in 288 C Water
Michael Silverman and
Dale F. Taylor 58

Technical Note: Grain Boundary Composition of Unsensitized and Sensitized Duplex Stainless Steel
J. B. Lumsden and P. J. Stocker ... 60

February

Environmental Cracking of High Strength Maraging Steels: Part 2—Gaseous Fluoride Atmospheres
D. H. Bradhurst and P. M. Heuer ... 63

An Initial Investigation of Calcareous Deposits Upon Cathodic Steel Surfaces in Sea Water
S. L. Wolfson and W. H. Hartt 70

A Controlled Composition Study of Calcium Carbonate Crystal Growth: The Influence of Scale Inhibitors
George H. Nancollas,
Thomas F. Kazmierczak, and
Eric Schuttringer 76

Stress Corrosion Cracking of Depleted Uranium Alloys in Moist Salt Ladened Air
D. F. Hasson, J. A. Joyce, and
C. R. Crowe 81

Corrosion Inhibition of a Carbon Steel in 3% NaCl Solutions by Aliphatic Amino-Alcohol and Diamine Type Compounds
Michel Duprat and Francis Dabosi . 89

Inhibition and Acceleration of Aluminum Corrosion
B. W. Samuels, K. Sotoudeh, and
R. T. Foley 92

Determination of Stress Corrosion Cracking Resistance of Al-Cu-Mg Alloys by Slow Strain Rate and Alternate Immersion Testing
Shantanu Maitra 98

Use of Accelerated Intergranular Corrosion Tests and Pitting Corrosion Tests to Detect Sensitization and Susceptibility to Intergranular Stress Corrosion Cracking in High Temperature Water of Duplex 308 Stainless Steel
T. M. Devine and B. J. Drummond . 104

A Study of the Entry and Removal of Hydrogen During Coating and Thermal Treatment of Steel
H. E. Townsend 115

Adsorption of Organic Phosphonates on Calcium Sulfate Dihydrate Crystals
Jasbir S. Gill and
George H. Nancollas 120

Technical Note: Crevice Corrosion Rate Measurement of Aluminum Alloys by Linear Polarization Method
Masayuki Suzuki and Yuichi Sato . 123

March

Grain Morphology Dependence of Stress Corrosion Cracking in 2124 Aluminum Alloy Plate
Shantanu Maitra 125

Stress Corrosion Cracking of ASTM A517 Steel in Liquid Ammonia: Environmental Factors
B. E. Wilde 131

Stress Corrosion Cracking of Type 304 Stainless Steel Under Residual Stress
Michinori Takano and
Hiroshi Takaku 142

Electrochemical Investigations of the Resistance of Inconel 600, Incoloy 800, and Type 347 Stainless Steel to Pitting Corrosion in Faulted PWR Secondary Water at 150 to 250 C
J. Hickling and N. Wieling 147

Hydrothermal Formation of (Hydrous) Oxides on Metal Surfaces
R. S. Sapijeszko and E. Matijevic .. 152

Corrosion Behavior of Metallic Materials in Organic Media Containing Hydrogen Chloride
Peter Hronsky 161

Electrochemical Behavior of Niobium in Acidic Solutions
C. P. Vijayan, P. L. Claessens, and
D. L. Piron 170

On the Electrochemical Behavior of Tungsten in Buffer Solutions as Revealed by Potential and Impedance Measurements at Open Circuit

M. S. El-Baslouny, F. El-Taib Heakel, and M. M. Hefny 175

Crevice Corrosion of Stainless Steels in Sea Water: Correlation of Field Data with Laboratory Ferric Chloride Tests

A. Garner 178

April

Guest Editorial: A Changing of the Guard
Joe H. Payer 1

Effects of Silicon Content and Oxidation Potential on the Carburization of Centrifugally Cast HK-40

R. H. Kane 187

Stress Corrosion Cracking of Ferritic Stainless Steels in Chloride Solutions

T. W. Mohr, A. R. Trolano, and R. F. Hehemann 199

Characterization of Carbon Steel Corrosion in Dilute Ammonium Nitrate Solutions and Irrigation Ground Waters

D. L. Johnson and H. Omura 209

An Investigation Into the Mechanism of Inhibition of a Synergistic Dianodic Corrosion Inhibitor

A. Marshall 214

Effects of Substituted Benzotriazoles on the Electrochemical Behavior of Copper in H_2SO_4

J. S. Wu and Ken Nobe 223

Direct Observations of Stress Corrosion Crack Tips of Type 304 Stainless Steel in a Boiling 42% $MgCl_2$ Solution

Takenori Nakayama and Michinori Takano 226

Corrosion of 5456-H117 Aluminum in High Velocity Sea Water

George A. Gehring, Jr. and M. H. Peterson 232

Discussion: Stress Corrosion Cracking of Welded Type 304 and 304L Stainless Steel Under Cyclic Loading

E. A. Loria 243

May

Occurrence and Prevention of Hydrogen Induced Stepwise Cracking and Stress Corrosion Cracking of Low Alloy Pipeline Steels

Guenter Herbsleb, Rolf K. Poepperling, and Wilhelm Schwenk 247

Optical Studies of Dezincification in Alpha-Brass

J. E. Finnegan, R. E. Hummel, and E. D. Verink, Jr. 256

Inhibition of Corrosion of a Carbon Steel by the Aliphatic Fatty Polyamines in Association with Organic Phosphorous Compounds in 3% Sodium Chloride Solutions

Michel Duprat, Francis Dabosi, Francis Moran and Sylvain Rocher 262

Investigation of Carbon Steel Passivation Behavior in Deionized Water by Ellipsometry

M. Matsudaira, M. Suzuki, and Y. Sato 267

Effect of Substituted Benzotriazoles on the Anodic Dissolution of Iron in H_2SO_4

Nadia Eldakar and Ken Nobe 271

Comparative Corrosion Tests on Steel Plates Rolled from Continuously Cast Slabs and Rolled from Mold Cast Ingots

Ake Josefsson and Kaarina Lounamaa 279

Inhibition of Corrosion Fatigue in High Strength Aluminum Alloys

M. Khobab, C. T. Lynch, and F. W. Vahdick 285

Stress Corrosion Cracking of Zirconium in Nitric Acid

J. A. Beavers, J. C. Griess, and W. K. Boyd 292

Accelerated Corrosion of Steel by Suspended Iron Sulfides in Brine

R. L. Martin and R. R. Annand 297

Recording and Analysis of AC Impedance Data for Corrosion Studies. I. Background and Methods of Analysis

Florian Mansfeld 301

June

Recollection of Early Gordon Research Conferences on Corrosion

Herbert Uhlig 309

Stress Corrosion Cracking of Sensitized Type 304 Stainless Steel in Sulfate and Chloride Solutions at 250 C and 100 C

G. Cragnolino, L. F. Lin, and Z. Szklarska-Smialowska 312

Mechanism of Stress Corrosion Cracking of Low Alloy Steel in Water

Wu-Yang Chu, Tian-Hua Liu, Chi-Mei Hsiao, and Shi-Qun Li 320

Evaluation of Highly Alloyed Stainless Materials for CO_2/H_2S Environments

A. I. Asphahani 327

Stress Corrosion Cracking of Sensitized Type 304 Stainless Steel in High Temperature Water Under Gamma Ray Irradiation

Norihiro Fujita, Mamoru Akiyama, and Takaaki Tamura 335

A Comparative Study of Stress Corrosion Cracking of Steam Generator Tube Materials in Water at 315 C

P. K. De and S. K. Ghosal 341

Cathodic Protection of Bronze Propellers for Copper Nickel Surfaced Ships

Albert W. Forrest, Jr. and Richard T. Biciocchi 349

The Chemical Nature of Aluminum Corrosion: I Corrosion of Aluminum Surfaces by Aluminum Salts

K. Sotoudeh, T. H. Nguyen, R. T. Foley, and B. F. Brown 358

Critical Film Composition for the Initiation of Crevice Corrosion of Type 304 and 316 Stainless Steels

S. Zakipour and C. Leygraf 363

Discussion: The Use of Zinc to Control Aluminum Corrosion in Aqueous Glycol Solutions

D. Caplan 369

Gordon Research Conference on Corrosion 370

Call for Papers: 1982 NACE Corrosion Research Conference 370

July

Whitney Award Lecture—1981
New Data on the Mechanism of Metals Protection with Inhibitors

I. L. Rosenfeld 371

The Significance of External Polarization on Stress Corrosion Crack Growth by Anodic Dissolution

P. Doig and P. E. J. Flewitt 378

Breakdown of Oxide Films on Steel Exposed to Chloride Solutions

H. E. Townsend, H. J. Cleary, and L. Allegra 384

Hot Corrosion of Nimonic 105 in Sodium Sulfate-Sodium Chloride Melts

C. A. C. Sequeira and M. G. Hocking 392

Corrosion of Carbon Steels in Mechanically Stirred Solutions 2.0M H_2SO_4

H. Przewlocka and H. Bala 407

Stress Corrosion Cracking of Sensitized 304 Austenitic Stainless Steel in Sulfurous Acid

S. Ahmad, M. L. Mehta, S. K. Saraf and I. P. Saraswat 412

An Auger Electron Spectroscopic Study of Phosphorus Segregation in the Grain Boundaries of Nickel Base Alloy 600

M. Guttman, Ph. Dumoulin, Nguyen Tan-Tai, and P. Fontaine 416

Technical Note: Effects of Chloride Ions on the Anodic Dissolution of 90/10 and 70/30 Cu-Ni Alloys in H_2SO_4

Ken Nobe and G. L. Bauerle 426

Technical Note: The Use of Recrystallization to Study the Plastic Zone Associated with Stress Corrosion Cracking in Type 304 Stainless Steel
Toshihei Misawa 427

August

Hydrogen Induced Delayed Failure of High Strength Alloy Steel Wires
D. C. Langstaff, G. Meyrick, and J. P. Hirth 429

Development of an Etching Technique for Determining the Intergranular Corrosion Resistance of Type 430 Stainless Steel
J. B. Lee 437

The Electrochemical Study of Stress Corrosion Cracking of Some High Strength Carbon Steels
O. Radovici and M. V. Popa 443

The Kinetics of Hydrogen Absorption and Evolution on a Carbon-Manganese Steel Exposed to Acidified Solutions of Sodium Chloride
B. E. Wilde and C. D. Kim 449

Stress Corrosion Testing of 5083 Aluminum
R. A. Patterson 455

Corrosion of Mild Steel in Cultures of Ferric Iron Reducing Bacterium Isolated from Crude Oil
I. Polarization Characteristics
C. O. Obuekwe, D. W. S. Westlake, J. A. Plambeck, and F. D. Cook 461

Elevated Temperature Potential-pH Diagrams for the Cr-H₂O, Mo-H₂O, and Pt-H₂O Systems
J. B. Lee 467

Technical Note: Intergranular Corrosion and End-Grain Pitting in Type 304 Stainless Steel by Various Test Methods
Edward A. Loria 481

Technical Note: A Potentiometric Study of the Corrosion of Ni-Resist in Sea Water
B. D. Craig and L. A. McClymonds 485

September

The Effect of Turbine Steam Impurities on Caustic Stress Corrosion Cracking of NiCrMoV Steels
R. S. Shalvoy, S. K. Duglin, and R. J. Lindinger 491

Susceptibility to the Intergranular Corrosion of Alloy 800
A. Borello, S. Casadio, A. Saltelli, and G. Scibona 498

Effects of Plastic Deformation and Recrystallization Treatments on the Stress Corrosion Cracking Susceptibility

of 304 Type Stainless Steels Under Different Polarizing Conditions in MgCl₂ Solution
D. Kazimierz Bilogian 506

Effect of Hydrogen on the Apparent Yield Stress—Research on the Cause of Hydrogen Induced Delayed Plasticity
Wu-Yang Chu, Shi-Qun Li, Chi-Mei Hsiao, and Shur-Yahn Ju 514

Numerical Determination of Potential Distributions and Current Densities in Multi-Electrode Systems
H. P. E. Helle, G. H. M. Beek, and J. Th. Ligtelijn 522

A Fracture Topographical Feature Characteristic Hydrogen Embrittlement
Bruce D. Craig 530

Sea Water Testing of Al-Zn, Al-Zn-Sn, and Al-Zn-In Sacrificial Anodes
J. B. Bessone, R. A. Suarez Baldo, and S. M. de De Micheli 533

On Area Ratio of Anode to Cathode for Iron in Neutral Solution
Bunzo Tsujino and Sunao Miyase 540

Technical Note: Concerning the Choice of Scan Rate in Polarization Measurements
F. Mansfeld and M. Kendig 545

Technical Note: Revised EMF-pH Diagram for Nickel
David C. Silverman 546

October

Examination of Passive Films on Iron-Nickel Alloys by Auger Electron Spectroscopy
G. T. Burstein 549

A Study of the Inhibiting Action of Benzene Thiols and Related Compounds on the Corrosion of Zinc in Acidic Media
M. S. Abdel Aal, A. A. Abdel Wahab, and A. El Saied 557

Effect of Water Chemistry on the Erosion-Corrosion of Aluminum in High Temperature High Velocity Water
D. A. Jones 563

Pit Formation in the Cathodic Polarization of Passive Iron—II. Effects of Anions
Kotaro Ogura and Takahiko Ohama 569

A Study of Zircaloy-2 Corrosion in High Temperature Water Using Ion Beam Methods
I. S. Woolsey and J. R. Morris 575

Effect of Oxide Films on the Corrosion Resistance of Titanium
R. W. Schutz and L. C. Covington 585

Mechanism of Corrosion of Carbon and Low Alloy Ferritic Steels by High Temperature Water
L. Tomlinson 591

Stress Corrosion Cracking of Alloy 800 Using the Constant Strain Rate Test
T. S. Bulischeck and D. Van Rooyen 597

Technical Note: On the Variability of Crevice Corrosion Initiation in Ferric Chloride Exposure Tests
R. J. Brigham 608

November

Corrosion Behavior of 1040 Carbon Steel
I. Effect of pH and Sulfide Ion Concentrations in Aqueous Neutral and Alkaline Solutions at Room Temperature
D. V. Satyanarayana Gupta 611

Stress Corrosion Cracking of Sensitized Type 304 Stainless Steel in High Temperature Chloride Solutions
L. F. Lin, G. Cragnolino, Z. Szklarska-Smialowska, and D. D. Macdonald 616

The Role of Mn in the Corrosion Behavior of Al-Mn Alloys
M. Zamin 627

Corrosion of Mild Steel in Cultures of Ferric Iron Reducing Bacterium Isolated from Crude Oil
II. Mechanism of Anodic Depolarization
C. O. Obuekwe, D. W. S. Westlake, J. A. Plambeck, and F. D. Cook 632

The Oxidation of a Monophase Co-8.03 Wt% Cu Alloy at 700 to 1000 C
F. Viani and F. Gesmundo 638

Determination of Pit Growth Rates on Aluminum Using a Metal Foil Technique
F. Hunkeler and H. Bohni 645

The Effects of Alloying Additions to Ferritic Steels Upon Stress Corrosion Cracking Resistance
R. N. Parkins, P. W. Slattery, and B. S. Poulson 650

Experimental Observations and Analysis of Hydrodynamic Effects on Growth of Small Pits
T. R. Beck and S. G. Chan 665

Corrosion Research Calendar 672

December

Experimental pH Potential Diagram of Aluminum for Sea Water
Ph. Gimenez, J. J. Rameau, and M. C. Reboul 673

Effect of Steam Impurities on Corrosion Fatigue Crack Growth Rates of a Turbine Disc Steel
R. Rungta, J. A. Begley, and R. W. Staehle 682

Detection of Hydrogen Embrittlement of a Carbon Steel by Acoustic Emission
V. N. Kudryavtsev, Kh. G. Schmitt-Thomas, W. Stengel, and
R. Waterschek 690

An Improved Method for Analysis of Polarization Resistance Data
Sol M. Gerchakov, Lanny R. Udey, and Florian Mansfeld 696

Oxide Scale Formation on Iron-Chromium Alloys in Elevated Temperature Air Environments
P. Fabis, R. Heidersbach, C. Brown, and T. Rockett 700

A Study of High Temperature Carburization and Its Correlation with the Creep-Rupture Properties of a 30 Cr/30 Ni Austenitic Steel
T. A. Ramanarayanan and R. Petkovic-Luton 712

Calculations of Oxidation Rates of Zirconium
J. B. Condon 721

Technical Note: A New Approach for Determining Corrosion Current and Tafel Slopes
B. D. McLaughlin 723

Corrosion Research
Calendar Inside Back Cover

Corrosion — Alphabetical Author Index, Volume 37, 1981

A
Aal, M. S. Oct, 557
Ahmad, S. Jul, 412
Akiyama, M. Jun, 335
Allegra, L. Jul, 384
Annand, R. R. May, 297
Asphahani, A. I. Jun, 327
Ayers, J. D. Jan, 55

B
Bala, H. Jul, 407
Bauerle, G. L. Jul, 426
Basiouny, M. S. Mar, 175
Beavers, J. A. May, 292
Beck, T. R. Nov, 665
Beek, G. H. M. Sept, 522
Begley, J. A. Dec, 682
Bessone, J. B. Sept, 533
Bicicchi, R. T. Jun, 349
Bilogan, D. K. Sept, 506
Bogar, F. D. Jan, 55
Bohni, H. Nov, 645
Borello, A. Sept, 498
Boyd, W. K. May, 292
Bradhurst, D. H. Jan, 50
Bradhurst, D. H. Feb, 63
Brigham, R. J. Oct, 608
Brown, B. F. Jun, 358
Brown, C. Dec, 700
Bullischeck, T. S. Oct, 597
Burststein, G. T. Oct, 549

C
Caplan, D. Jun, 369
Casadio, S. Sept, 498
Chan, S. G. Nov, 665
Chu, W. Y. Jun, 320
Chu, W. Y. Sept, 514
Chung, P. Jan, 39
Claessens, P. L. Mar, 170
Cleary, H. J. July, 384
Condon, J. B. Dec, 721
Cook, F. D. Aug, 461
Cook, F. D. Nov, 632
Covington, L. C. Oct, 585
Cragnolino, G. Jun, 312
Cragnolino, G. Nov, 616
Craig, B. D. Aug, 485
Craig, D. Sept, 530
Crowe, C. R. Feb, 81

D
Dabosi, F. Feb, 89
Dabosi, F. May, 262

De, P. K. Jun, 341
De Michel, S. M. Sept, 533
Devine, T. M. Feb, 104
Doig, P. July, 378
Drummond, B. J. Feb, 104
Duglin, S. K. Sept, 491
Dumoulin, P. Jul, 416
Duprat, M. Feb, 89
Duprat, M. May, 262

E
Eldakar, N. May, 271

F
Fabis, P. Dec, 700
Finnegan, J. E. May, 256
Flewitt, P. E. J. July, 378
Foley, R. T. Feb, 92
Foley, R. T. Jun, 358
Fontaine, P. Jul, 416
Forrest, A. W., Jr. Jun, 349
Fujita, N. Jun, 335

G
Garner, A. Mar, 178
Gehring, G. A., Jr. Apr, 232
Gerchakov, S. M. Dec, 696
Gesmundo, F. Nov, 638
Ghosal, S. K. Jun, 341
Gill, J. S. Feb, 120
Gimenez, P. Dec, 673
Griess, J. C. May, 292
Gupta, D. V. S. Nov, 611
Guttmann, M. Jul, 416

H
Hart, W. H. Feb, 70
Hasson, D. F. Feb, 81
Hefny, M. M. Mar, 175
Hehemann, R. F. Apr, 199
Heidersbach, R. Dec, 700
Helle, H. P. E. Sept, 522
Herbsleb, G. May, 247
Heuer, P. M. Jan, 50
Heuer, P. M. Feb, 63
Hickling, J. Mar, 147
Hirth, J. P. Aug, 429
Hocking, M. G. July, 392
Hronsky, P. Mar, 161
Hsiao, C. M. June, 320
Hsiao, C. M. Sept, 514

Hummel, R. E. May, 256
Hunkeler, F. Nov, 645

I
Iezzi, R. A. Jan, 28
Inagaki, H. Jan, 5

J
Johnson, D. L. Apr, 209
Jones, D. A. Oct, 563
Josefsson, A. May, 279
Joyce, J. A. Feb, 81
Ju, S. Y. Sept, 514

K
Kane, R. H. Apr, 187
Kapse, G. W. Jan, 16
Kazmierczak, T. F. Feb, 76
Kendig, M. Sept, 545
Khobalab, M. May, 285
Kim, C. D. Aug, 449
Kobayashi, Y. Jan, 5
Kudryavtsev, V. N. Dec, 690

L
Langstaff, D. C. Aug, 429
Lee, J. B. Aug, 437
Lee, J. B. Aug, 467
Leidheiser, H., Jr. Jan, 28
Leygraf, C. Jan, 21
Leygraf, C. Jun, 363
Li, S. Q. Jun, 320
Li, S. Q. Sept, 514
Ligtellijn, J. T. Sept, 522
Lin, L. F. Jun, 312
Lin, L. F. Nov, 616
Lindinger, R. J. Sept, 491
Liu, T. H. Jun, 320
Loria, E. A. Apr, 243
Loria, E. A. Aug, 481
Lounamaa, K. May, 279
Lumsden, J. B. Jan, 60
Lynch, C. T. May, 285

M
Macdonald, D. D. Nov, 616
Maitra, S. Feb, 98
Maitra, S. Mar, 125
Mansfeld, F. May, 301
Mansfeld, F. Sept, 545
Mansfeld, F. Dec, 696
Marshall, A. Apr, 214
Martin, R. L. May, 297

Matijevic, E.	Mar, 152
Matsudaira, M.	May, 267
McCafferty, E.	Jan, 55
McClymonds, L. A.	Aug, 485
McLaughlin, B. D.	Dec, 723
Mehta, M. L.	Jan, 16
Mehta, M. L.	Jul, 412
Meyrick, G.	Aug, 429
Misawa, T.	Jul, 427
Miyase, S.	Sept, 540
Mohr, T. W.	Apr, 199
Moran, F.	May, 262
Morris, J. R.	Oct, 575

N

Nakayama, T.	Apr, 226
Nancollas, G. H.	Feb, 76
Nancollas, G. H.	Feb, 120
Nguyen, T. H.	Jun, 358
Nobe, K.	Apr, 223
Nobe, K.	May, 271
Nobe, K.	Jul, 426

O

Obuekwe, C. O.	Aug, 461
Obuekwe, C. O.	Nov, 632
Ogura, K.	Oct, 569
Ohama, T.	Oct, 569
Omura, H.	Apr, 209

P

Parkins, R. N.	Nov, 650
Patterson, R. A.	Aug, 455
Patwardhan, A. K.	Jan, 16
Payer, J. H.	Apr, 1
Peterson, M. H.	Apr, 232
Petkovic-Luton, R.	Dec, 712
Piron, D. L.	Mar, 170
Plambeck, J. A.	Aug, 461
Plambeck, J. A.	Nov, 632
Poepperling, R. K.	May, 247
Popa, M. V.	Aug, 443
Postlethwaite, J.	Jan, 1
Poulson, B. S.	Nov, 650
Przewlocka, H.	July, 407

R

Radovici, O.	Aug, 443
Ramanarayanan, T. A.	Dec, 712
Rameau, J. J.	Dec, 673
Reboul, M. C.	Dec, 673
Rocher, S.	May, 262
Rockett, T.	Dec, 700
Rosenfeld, I. L.	Jul, 371
Rungta, R.	Dec, 682

S

Saied, A.	Oct, 557
Saltelli, A.	Sept, 498
Samuels, B. W.	Feb, 92
Sapieszko, R. S.	Mar, 152
Saraf, S. K.	Jul, 412
Saraswat, I. P.	Jul, 412
Sato, Y.	Feb, 123
Sato, Y.	May, 267
Schaefer, R. J.	Jan, 55
Schmitt-Thomas, K. G.	Dec, 690
Schuttringer, E.	Feb, 76
Schutz, R. W.	Oct, 585
Schwenk, W.	May, 247
Scibona, G.	Sept, 498
Sequeira, C. A. C.	Jul, 392
Shalvoy, R. S.	Sept, 491
Silverman, D. C.	Sept, 546
Silverman, M.	Jan, 58
Slattery, P. W.	Nov, 650
Sotoudeh, K.	Feb, 92
Sotoudeh, K.	Jun, 358
Srivastava, P. K.	Jan, 16
Staehle, R. W.	Dec, 682
Stengel, W.	Dec, 690
Stocker, P. J.	Jan, 60
Suarez Baldo, R. A.	Sept, 533
Suzuki, M.	Feb, 123
Suzuki, M.	May, 267
Szklarska-Smialowska, S.	Jan, 39
Szklarska-Smialowska, Z.	Jun, 312
Szklarska-Smialowska, S.	Nov, 616

T

Taib, Heakel, F.	Mar, 175
Taira, T.	Jan, 5
Takaku, H.	Mar, 142
Takano, M.	Mar, 142
Takano, M.	Apr, 228
Tamura, T.	Jun, 335
Tan-Tai, N.	Jul, 416
Taylor, D. F.	Jan, 58
Tomlinson, L.	Oct, 591
Townsend, H. E.	Feb, 115
Townsend, H. E.	Jul, 384
Troiano, A. R.	Apr, 199
Tsujino, B.	Sept, 540
Tsukada, K.	Jan, 5

U

Udey, L. R.	Dec, 696
Uhlig, H.	Jun, 309

V

Vahldiek, F. W.	May, 285
Van Rooyen, D.	Oct, 597
Verink, E. D., Jr.	May, 256
Viani, F.	Nov, 638
Vijayan, C. P.	Mar, 170

W

Wahab, A. A.	Oct, 557
Watanabe, T.	Jan, 5
Waterschek, R.	Dec, 690
Westlake, D. W. S.	Aug, 461
Westlake, D. W. S.	Nov, 632
Wieling, N.	Mar, 147
Wilde, B. E.	Mar, 131
Wilde, B. E.	Aug, 449
Wolfson, S. L.	Feb, 70
Woolsey, I. S.	Oct, 575
Wu, J. S.	Apr, 223

Z

Zakipour, S.	Jan, 21
Zakipour, S.	Jun, 363
Zamin, M.	Nov, 627

Corrosion — Alphabetical Subject Index, Volume 37, 1981

A

Abrasion: sand slurry vs steel, inhibition, 1
ACIDS
acetic: zinc inhibition by benzene thiols, 557
Al reactions in hydrolyzing salts, 358
boric + sodium chloride vs 5086 Al, 673
citric + sodium chloride vs 5086 Al, 673
hydrochloric: API high strength steels vs, 443
": passive films on Ni alloys' spectroscopic analysis, 549
": + sodium chloride vs 5086 Al, 673
": zinc inhibition by benzene thiols, 557
nitric: >20% SCC of Zr, 292
sulfuric: 304, sensitized vs, 412
": 0.5M vs 90/10, 70/30, cupro nickels, 426
": copper vs, benzotriazole inhibitors for, 223

": deaerated vs carbonated, 407
": iron inhibited by benzotriazoles vs, 271
": niobium at 25 C vs, 170
": zinc inhibition by benzene thiols, 557
Tetrathionic: cracking of C steels, 412

Adhesion: coatings eval. by tape pull test, 28
AL-6X, 178
Alkalis: see specific salts
Alloying: see fabrication

ALUMINUM AND ALLOYS

1199, 7075: aluminum salts vs, 358
2024, 7075 vs water ± NaCl, 285
2024: sodium chloride sol. vs, 92
2124: grain morphology infl on SCC, 125
2124: stress corrosion cracking in oxygenated water, 98
5083: stress corrosion tests in NaCl sol., 455

5086: 4.9 pH, 3% NaCl vs, 673
5456: sea water 3-30 m/s vs, 232
8801: erosion-corrosion in water, infl of Ca and Si, 563
99.59% hydrogen chloride + solvents vs, 161
+ 0.4-1.2Mn 0.04-0.8Fe 0.15Si: acidified NaCl exfoliation tests, 627
bromide salts vs, 358
chloride: 5086 Al vs, 673
chloride salts vs, 358
crevice attack rate measurement, 123
galvanic anodes: In, Sn, Zn alloying effects in sea water, lab. tests, 533
inhibition in NaCl solutions, 92
iodide salts vs, 358
nitrate salts vs, 358
perchlorate salts, 358
steels, ferritic: alloying infl of Al vs SCC, 650

SCC, potentials with acidified NaCl in cracks, 378
sulfate salts vs, 358
zinc powder scavenger for metal ions in glycol sol. attacking, 369

American Petroleum Institute, high strength steels vs HCl, 443
Amino compounds: liquid ammonia content vs SCC of low alloy steel, 131
Ammonia, liquid: SCC of low alloy steel in, 131

AMMONIUM

chloride: liquid ammonia content vs SCC of low alloy steel, 131
nitrate: carbon steel vs dilute solutions, 209
": liquid ammonia content vs SCC of low alloy steel, 131
": steels, ferritic vs boiling, 650

Anodes, galvanic; SCC cathodic protection

Anodic protection: calculations: potentials, current densities in multi-electrode systems, 522

Anodic protection: Nimonic in sodium sulfate \pm NaCl at 900 C, 392

Atmospheric effects: marine; hot rolled steel plates < 39 mo tests, 279

ATOMIC EFFECTS

amine inhibitors in NaCl solutions on steel, 89
hydrogen bonding of chelates vs NaCl solutions on steel, 89
proton diffusion across oxide layers on steel, 591

Avesta 254 SMO, 178; 254 SLY, 327

B

Bacteria: see biological effects

Biological effects: ferric ion reducing bacteria vs steel passivity, 461, 632

C

Calcium carbonate: erosion-corrosion of Al in water, infl of, 563

Calcium sulfate: crystals, adsorption of organic phosphonates, 120

CALCULATIONS

AC impedance data analysis, 301
computer generated contour presentation of TTS diagrams, 498

correlation: austenitic, ferritic SS, stress corrosion cracking, 199

correlation: CrNi steels vs sea water, ferric chloride, 178

current and Tafel slope, 723

EMF-pH diagrams for Ni revised, 546
geometrical effects, CP for bronze in high velocity sea water, 349

polarization 23, 696
potential-pH diagram: Al vs salt water, aerated and not, 673

potentials, current densities multi-electrode systems, 522

Zr and Hf oxidation rates, 721

Carbides: sensitization tests of 304, characterization of, 39

CARBON

carburization activity > 950 C, 712
dioxide + hydrogen sulfide, NaCl vs Cr, Ni SS, 327

dioxide: liquid ammonia content vs SCC of low alloy steel, 131

ferritic steels, infl of, 650

surface characterization of cold rolled steel, 28

Carbonate/bicarbonate sol. vs steel, dianodic inhibitor for, 214

Carburization: HK-40 (25 Cr 20 Ni) vs 1094 C, 187

Carpenter 20Cb3, 178, 327

Cast steels: continuous vs ingot, < 39 mo tests, 279

Cathodic delamination: coatings from steel, 28

CATHODIC PROTECTION

Al galvanic anode efficiencies in sea water, 533

bronze vs CuNi in sea water, 349

calcium, Mo carbonate deposits on surfaces under, 70

calculations: potentials, current densities in multielectrode systems, 522

galvanic: AlZn, AlZnSn, AlZnIn anodes, sea water, lab tests, 533

steels, high alloy vs cracking in hot CO₂/CaCl₂/NaCl sol., 327

zinc powder for Al in glycol solutions, 369

Chelation: amines for hydroxide stabilization on steel, 89

CHLORIDES

Al pitting, infl of concentration, 645
cupronickel alloys, anodic dissolution, infl of, 426

ferritic SS vs, 199

ion concentrations in 304, 316 pits, 363

Chromates: Al pitting in chlorides, infl of, 645

CHROMIUM

99.99% hot oxidation, 700

sensitization tests on 304, activity during, 39

steels, ferritic: alloying infl vs SCC, 650

CHROMIUM-NICKEL ALLOYS

see also: steels, chromium-nickel
HK-40 vs 1094 C oxidation, infl Si, 187

Incoloy 800: 250 C HPW \pm O₂, Pb vs, 341

Incoloy 800: hot, contaminated high purity water vs, 147

Inconel 600: 250 C HPW + or - O₂, Pb, 341

": hot, contaminated high purity water vs, 147

": oxide scale formation in 250 C water, 152

": P segregation at grain boundaries, 416

15Cr 75Ni Fe constant strain tests, 597
21Cr 33Ni AlMnSiTi: IG attack vs Strauss test, 498

22Cr > 42Ni: carbon dioxide/H₂S/NaCl sol. vs, 327

30Cr 30Ni: 950-1050 C carburization tests, 712

Cleaning methods: titanium, chemical and mechanical, 585

COATINGS

application: plasma spraying, laser consolidation of Ti deposited by, 55

conversion: zinc phosphate, cold rolled steel, evaluation on, 28

metal: nickel, electroplated steel wire, H activity in, 115

metal: titanium, laser effects on steel plasma sprayed with, 55

primers: automotive, adhesion tests, 28

Cobalt and alloys: +8Cu, 700-1000 C oxidation tests, 638

Computer analysis of polarization data, 696

Conductivity: solvents + or - HCl, 161

COPPER AND ALLOYS

99.999% oxide scale formation in 250 C water, 152

brass, < 15Zn alpha, dealloying tests, 256

bronze propeller metal CP vs CuNi cladding, 349

monel 400: 250 C HPW + or - O₂, Pb vs, 341

precipitates during crevice tests on 304, 316, 21

sulfuric acid vs, benzotriazole inhibitors for, 223

Corrosion cell: iron anode-to-cathode area relationships, oxygen concentration, 540

CRACKS AND CRACKING

304: cold work, heat treat, applied potentials vs, 506

Al, high strength, fatigue in water \pm NaCl, inhibitors, 285

anodic dissolution infl on, 379

fatigue, turbine disk steel vs chloride, sulfate impurities in steam, 682

hydrogen vs high strength steel, 514
inclusions in pipeline steels affecting HSSC, 247

initiation, propagation: 304 sensitized in hot chloride sol., 616

IG and TG of sensitized 304 in NaCl, NaSO₄ sol., 312

potential distributions in growing crack, 378

recrystallization of stress cracks, 427

steels: ferritic: nitrogen, sodium solutions producing, 650

": high strength drawn wire vs H, 429

": low alloy, mechanism in H₂S sol., 320

": maraging, mode under tensile stress, 50, 63

stepwise, pipeline steels due to H, 247
Tip surveillance, analysis in boiling MgCl₂, 226

Ti oxide films vs tension, effects of, 585
Zr alloys vs HNO₃, 292

Crevice attack: see localized attack
Current density: multiple electrode system calculations, 522
Current density: pit geometry, solution velocity affecting, 655

D - E

Dezincification: see metallurgical effects, dealloying
Desulfurization: see fabrication
Diagrams: potential-pH, Cr, Mo, Pt, Ti-H₂O, 25-300 C, 471

DIFFUSION

hydrogen in steels vs high temp water, 591
Iron ions through oxide layers on steel, 591
oxygen through oxide layers on steel, 591
oxygen through Zr₂ scales in high temp. water, 575

DIN 1.4462 (AF22), 327
Eastern SS 317LM, 178
E-Brite, 199
EPR test, 481
Energy sources: nuclear reactors, heat exchangers vs secondary water, 147
Erosion-corrosion: 90 C water vs Al, infl of Ca, Si, 563
Erosion-corrosion: sand + water vs C steel, effect of chromate inhibitors, 1

F

FABRICATION

alloying: Ca in pipeline steels vs HSC, 5
alloying: Cu in C steel vs HSC, SSC, 5
cold work: 15Cr 75Ni Fe tubing vs SCC in steam, 597
": 304 + or - heat treat vs SCC, 506
": steel wire vs H failure, 429
desulfurization pipeline steels vs HSC, 5
welding: 304, 304L SCC, cyclic loading effects, 243
": 430 IG attack susceptibility test, 437
": CrNi steels vs sea water, Fe chloride, 178
": heat affected zone infl on SSC, 5
": pipeline steels, cracking in H₂S, 5

FAILURE ANALYSIS

cold drawn steel wire vs H, 429
fractographic, 50, 63
": 304 SCC in hot chloride sol., 616
": SCC of ferritic steels, 650
": turbine steels vs steam, 682
metallographic: Al 5083 stress cracked in NaCl, 455
pipeline steels, cracking in H₂S, 247
scanning electron micrographs: AISI 446, 502 steels vs hot oxidation, 700
Fatigue: 2024, 7075 Al: tests in air, water + or - inhibitors, 285
Ferrallium 255, 327
Fertilizers in ground water vs C steel, 209

FILMS AND SCALES

alpha Fe₂O₃ sputtered on Fe, 384
aluminum: breakdown vs velocity in sea water, 232
", Cr, Ti oxides sputtered on Fe, 384
" oxide in high purity, natural waters, 563
anodized, pickled, thermally induced on Ti, 585
breakdown at defects in, 384
calcareous deposits in sea water, properties, 70
calcium carbonate: inhibitor infl, 76
calcium sulfate control using organic phosphonates, 120
carbonates on steel from CP in sea water, 70
carburized on 30Cr 30Ni at 950-1050 C, 712
Co8Cu at 700-100 C, 638
critical composition on 304, 316 preceding crevice attack, 363
hydrous oxides from alkaline and/or chelated 250 C water, 152
inhibitor activity affecting, 371
ion beam analysis of isotope-tagged Zr₂, 575
iron oxidation mechanism in high temp. water, 591
magnetite on steel in 350 C water, 591
oxide: Cr steels at 250-880 C, 700
": maraging steels, infl vs SCC of, 50, 63
" particle nucleation phenomena, 152
" sensitized 304, 39
" steel vs NaCl + or - H₂O₂ sol., 384
" Ti, 585
passive on 50Ni 50Fe, 38Ni4Mo18BFe, 40Ni14P6BFe, analysis, 549
preoxidation of 304 vs SCC in HPW, 325
rupture causing steel SCC in liquid ammonia, 131
steels, ferritic, alloying effects on, 650
tungsten in deaerated buffer solutions, 175

G

Galvanic effects: Ni cast iron-graphite in sea water, 485
Galvanic effects: pitting of Al in high velocity sea water, precursor to, 232
Geometrical effects: pitting vs solution velocity, 665

GRAIN EFFECTS

304 welded, SCC of stressed, 243
308 duplex sensitizing heat treat, 104
2124 Al sizes, infl of orientation, 125
2124 Al: SCC influence, 125
26Cr1Mo vs hot chlorides, 199
boundary composition effects in duplex steels, 60
carbide: boundaries vs SCC in steam, 597
" precipitation in 304, evaluation vs localized attack, 481
" precipitation: 21Cr33NiAlMnSiTi, 498
carburization of 30Cr 30Ni, 712
cold drawn steel wire vs hydrogen failure, 429
ferritic steel size, C distribution infl on SCC, 650
hydrogen concentration at boundaries vs cracking, 50

intersections of boundaries affecting Al 2124 SCC, 125
phosphorus segregation at IN 600 boundaries in 200C NaS/K, 417
surface area data on 2124-T851, 125
Zr₂ oxides, infl on porosity in deionized water, 575

Ground water: see water, general

H

Hafnium: oxidation rate calculations, 721
Halides: pitting, cathodically polarized Fe, 569

HARDNESS

Cr and Ni SS vs heat treatment, 327
steels, maraging: H cracking infl, 50, 63
SCC pipeline steel, infl of, 5

HEAT EXCHANGERS

15Cr75NiFe vs 290-365 C steam, 597
insolation: inhibited glycol solutions for, 389
PWR vs contaminated secondary high purity water, 147
Ti, effect of oxidation mode on, 585

Hastelloy G, G3, 327
Haynes H20M, 178, 327; 8700, 327

HEAT TREATMENT

Al aging affecting SCC in water, 98

304 AISI

localized attack infl, 481
sensitization effects, 39
SCC tests in MgCl₂ infl of, 506
+ 304L, welded vs SCC under cyclic stress, 243

304L: tensile tests in HPW, infl of, 58
308 duplex steel, sensitizing, 104
26Cr1Mo vs SCC in chlorides, 199
CrNi alloys vs SCC in HPW, 341
electroplated steel for H removal, 115
Ni-base alloys vs H₂S/CO₂, 327
sensitization zone magnitudes affected by mode of, 39
steels, ferritic: SCC influence, 650
": maraging, vs SCC, 50
": pipeline, microstructure effects on SCC, 5
Ti oxide films from, 585

HK-40, 187

HYDROGEN

304 cracking in hot chlorides, infl of, 616
1080 wire: thermal removal from electroplated, 115
Inconel 600: 200C NaS/K, charging; 417
chloride + solvents vs Al, CrNi steels, Fe, Zn, 161
embrittlement: 1080 electroplated, effects of thermal treatment vs, 115
": 16Cr75NiFe in molten salts, 417
": steel, C: acoustic emission detection, 690

": steels, maraging SCC influence, 50, 63
 ": topological analysis, 530
 ": trap site retention of H in 1080 steel, 115
 ": turbine disk steels in steam, 682
 fluoride: 350 maraging steels vs, 63
 interface generation on steels in high temp. water, 591
 nickel plate: contents on steel, 115
 peroxide: iron films vs NaCl sol. +, 384
 peroxide: pure Cu, Fe, Ni, C, steel, CrNi alloys vs, 152
 steel, carbon-manganese vs 2pH NaCl, pickup of, 449
 ": C and low alloy: Infl on yield strength, 514
 ": high strength drawn wire, failure induced by, 429
 ": low alloy SCC in H₂S, Infl of, 320
 ": pipeline, cracking by, 5, 247
 SCC, role of, 199
 sulfide: brine containing Fe vs steel, 297
 " + carbon dioxide, NaCl vs Cr, Ni SS, 327
 " concentrations affecting SCC of Cr, Ni SS, 327
 ": crevice attack on 304, 316, generation of, 21
 ": pipeline steels cracking in, 5, 247
 ": steel, low alloy SCC in Sol., 320
 Ti uptake influenced by oxide type, 585
 trapped, in high strength steel, 115

I

Impedances: nitrite/methylamine/phosphonate inhibitor for steel in water, data on, 214
 Inclusions: MnS, Al₂O₃, Infl on HSC, 5
 Incoloy 800, 147, 341, 498; 825, 327
 Inconel 600; 147, 341, 416
 Inconel 600: SCC via constant strain rate tests in hot water, 597

INHIBITORS

acetate, benzoate, borate in glycol sol. vs Al, 369
 aliphatic amino-alcohol for steel vs NaCl solutions, 89
 azelaic acid: Al vs NaCl, 92
 benzenethiols: zinc in acetic, hydrochloric, sulfuric acids, 557
 benzotriazole: Al vs NaCl, 92
 ": copper vs H₂SO₄, 223
 ": iron in H₂SO₄ vs substituted, 271
 borax-nitrite: 2024, 7075 Al fatigue tests in water, Infl of, 285
 calcium carbonate scale, Infl of, 76
 chromate: sand + water vs C steel, effects of, 1
 chelants: scale formation in water affected by, 152
 cupferron: Al vs NaCl, 92
 diamine for steel vs NaCl solutions, 89
 hydrazine: liquid ammonia content vs SCC of low alloy steel, 131
 metal protection mechanisms, 371
 nitrate: anaerobic bacteria vs, 632
 nitrite: films on steel vs ferric ion reducing bacteria, 632
 nitrite/methylamine/phosphonate for steel in neutral, 40 C aerated water, 214

oxamide: Al vs NaCl, 92
 piperazine: 2024, 7075 Al fatigue tests in water, Infl of, 285
 polyamines + organophosphorus for steel vs NaCl, 262
 potassium chromate: steel, low alloy in H₂S sol., Infl of, 320
 quinaldic acid: Al vs NaCl, 92
 rubeanic acid: Al vs NaCl, 92
 scale: organic phosphonates vs Ca sulfate, 120
 sodium: acetate for Al vs NaCl, 92
 " benzoate for Al vs NaCl, 92
 ": chromate for Al vs NaCl, 92
 " citrate for Al vs NaCl, 92
 " nitrate for Al vs NaCl, 92
 " nitrite: stress steel vs chlorides, Infl of, 16
 " oxalate for Al vs NaCl, 93
 " perchlorate Al vs NaCl, 92
 " sulfate Al vs NaCl, 92
 " tartrate for Al vs NaCl, 92
 " salts of hydroxy carboxylic acids for Al vs NaCl, 92
 water: liquid ammonia content vs SCC of low alloy steel, 131
 water + oxygen synergism in liquid ammonia, 131

Ionic effects: calcite in carbonate scale growth, 76

IRON AND ALLOYS

99.45%: HCl + solvents vs, 161
 99.99%: oxide scale formation in 250 C water, 152
 99.99% hot oxidation, 700
 anions, Infl on pitting of cathodically polarized, 569
 anodes and cathodes in neutral solutions, 540
 benzotriazole substituted inhibitors for H₂SO₄, 271
 nickel cast: flowing deaerated sea water vs, 485
 pitting: sodium chloride sol. vs velocity, 665

Iron sulfide sol. vs sensitized 304, 412
 Irrigation water: see water, general

J - K - L

Jessop JS700, 178
 Kaiser effect, 690
 Lasers: Ti coatings on steel consolidated by, 55
 Lead: high purity water vs CrNi alloys, Monel, Infl of, 341

LOCALIZED ATTACK

crevices: 304, 316 in acidic chlorides, 21
 ": 304, 316 critical film properties inducing, 363
 ": 304, 316, 317 in sea water, Fe chloride, 178
 ": 304L stressed in HPW, effect of chemistry in, 58
 ": ferric chloride test results variability, 608
 ": linear polarization tests for Al rates, 123
 ": Ti vs boiling HCl, 585

intergranular: 304 impurities affecting, 481
 " transgranular: 304 sensitized vs 100-250 C NaCl sol, 616
 ": 308 duplex tests to predict SCC, 104
 ": 430 etching test for, 437
 ": 21Cr33NiAlMnSiTi, Infl Ti vs, 498
 ": SCC 15Cr75NiFe in steam, 597
 ": turbine steel vs chlorides; sulfates in steam, 682
 pitting: 304, impurities affecting, 481
 ": 304 sensitized in hot NaCl sol., 616
 ": 304, 316 films affecting, 363
 ": 308 duplex tests to predict SCC, 104
 pitting, aluminum: 5083 stressed in NaCl sol., 455
 "": growth rate tests, 645
 "": salt water, potential pH diagram in, 673
 "": sea water, high velocity vs, 232
 pitting: Cr, Ni SS in FeCl sol., 329
 ": critical size vs electrolyte velocity, 655
 ": electrolyte sol. in pits, effects on, 655
 ": hydrodynamic effects on rates, 665
 ": iron during cathodic polarization, 569
 ": Ni cast iron vs sea water velocity, 485

M

Magnesium carbonate: erosion-corrosion of Al in water, Infl of, 563
 Manganese: Al alloying with vs acidified NaCl, 627

METALLURGICAL EFFECTS

alloying: Al, Cr, Cu, Ni, Mo, Si, Ti in ferritic steel vs SCC, 650
 ": Bi, Cr, Ni, Pd, Pt, pipeline steels vs HSC, 247
 ": B, P and Mo in amorphous Ni Fe alloys, 549
 ": carbon Infl on steel attack in high velocity H₂SO₄, 409
 ": Cr and Ni SS, effects vs cracking in CO₂/H₂S/NaCl sol., 327
 ": Cr Ni steels vs sea water, Fe chloride, 178
 ": Cu in Co vs hot oxidation, 638
 ": copper and Mg in 2124 Al, Infl on SCC, 125
 ": copper in steel vs HSC, 247
 ": H pickup affected by, 455
 ": iron affecting Mn in Al, 627
 ": In, Sn and Zn, effects on Al galvanic anodes in sea water, 533
 ": Mn in Al vs exfoliation, 627
 ": Ni affecting SCC of ferritic steels, 199
 ": Si in HK-40 vs 1094 C carburization, 187
 ": Ti in CrNiAlMnSiTi vs IG attack, 498
 carburization: 30Cr 30Ni, 950-1050 C CO, CO₂, 712
 creep: 30Cr 30Ni vs 950-1050 C carburization, 712
 dealloying: alpha brass < 15 Zn, tests, 256
 phase: equilibria of 2124 Al Infl on SCC, 125
 phase: ferrite in high Cr, Ni, alloy vs CO₂/H₂S cracking, 327
 pitting: 1040 steel in 6-14 pH sulfide sol., 611

processing variations affecting SCC of Inconel in steam, 597
 recrystallization: cold worked 304 Infil on SCC, 506
 sensitization: 304 duplex grain boundary effects, 60
 *: 304, Infil of heat treat, 39
 *: 304 welded, C Infil at grain boundaries, 243
 *: 304, 304L from heat treat, welding, 243
 *: 308, accel. tests to detect, 104

Molybdenum sulfide: precipitates during crevice tests on 304, 316, 21

N

NACE: TM-01-77, SCC of pipeline steels, 5

NICKEL AND ALLOYS

99.998%: oxide scale formation in 250 C water, 152
 53Ni16Cr20Co4.5Al4.75Mo + Ti vs 900 C NaCl/Na₂SO₄, 392
 90Ni10Cu, 70Ni30Cu vs H₂SO₄/KCl, 426
 38 and 40Ni + 18B4Mo or 14P6B bal Fe vs bicarbonate, acid sol, film tests, 549
 + CrMoV vs impurities in 100 C steam, 491
 compounds rated in emf-pH diagrams, 546
 steels, ferritic: alloying Infil vs SCC, 650

Niobium: 0.3 to 2 acidic sol. at 25 C vs, 170
 Niomonic 105, 392
 Ni-resist, Type 2, 485
 Nitrate solutions: Cu, Mn, Mo, Si, Ti, V, alloying in ferritic steels vs, 650
 Nitrates: Al pitting in chlorides, Infil 6, 645

NITROGEN

liquid ammonia content vs SCC of low alloy steel, 131
 steels, ferritic SCC, Infil of, 650
 SCC of welded 304, Infil of, 243

O

OXIDATION

250-880 C: 99.99 Fe, 99.95 Cr, AISI 446, 502 steels vs, 700
 1094 C: 25Cr 20Ni vs, 187
 Iron: mass and charge balances related to, 591
 tungsten in buffered solutions, 175

Oxides: porosity of Zr2 In hot deionized water, 575
 Oxides: see films and scales also

OXYGEN

304 in HPW, SCC effects of, 325
 brass dealloying, Infil of, 256
 dissolved: erosion-corrosion of Al by water, effects of, 563
 Cr, Fe, 446, 502 steels vs high temp, 700
 high purity water vs CrNi alloys, Monel, Infil of dissolved, 341

+ hydrogen sulfide + Fe vs steel in brine, 297
 liquid ammonia content vs SCC of low alloy steel, 131
 secondary water, control in PWR, 147
 steel in deionized water, Infil of, 267

P - R

PASSIVITY

Al 5086 in NaCl solutions, 673
 anodic charges influencing, 371
 electron bombardment effects vs films on high Ni alloys, 549
 steel, C in deionized water + O₂, 267
 steel, low alloy in liquid ammonia due to oxygen, 131

Petroleum crude: pseudomonas sp(No. 200) depolarization of steel in, 632

pH

4-9 3% NaCl sol vs Al, 673
 6-14 + sulfide sol. vs 1040 steel, 611
 Al pit electrolyte measurement, 645
 Al salts, reactions with Al, effects of, 358
 amines affecting NaCl solutions on steel, 89
 calcium carbonate film growth, Infil of, 76
 crevice: 304L tensile tests, Infil of, 58
 crevice attack in 304, 316, Infil of, 363
 fatigue cracking of turbine steels in steam, effects of, 682
 hydrous oxide scales, Infil of, 152
 pipeline steels, cracking, Infil of, 247
 polarized steel interface in sea water, 70
 precipitates affected in crevice tests by, 21
 sodium chloride vs stressed N-80, Infil of, 449
 steel, low alloy SCC in liquid ammonia Infil of, 131
 zones adjacent to scribe line in coatings test, 28

Phosphorus: grain boundary segregation in 16Cr75NiFe vs molten salts, 417
 Phosphorous: grain segregation in duplex 304, 60
 Pipelines: bacterial attack on steel, 46
 Pipelines: steels, high strength, low alloy, stepwise cracking, 247

POLARIZATION

chemical effect of inhibitor activity, 371
 steel maraging: cracking, Infil in tensile test, 50
 SCC affected by external, 378
 SCC of low alloy steels in H₂S sol., effects of, 320

Potassium carbonate: passive films on Ni alloys, spectroscopic analysis, 549

Potential-pH diagrams: Cr, Mo, Pt, Ti-H₂O, 25-300 C, 467

Potentials: Al pitting in chlorides, Infil of, 645

Potentials: distributions in multi-electrode systems, 522

Pourbaix diagrams: Al vs salt water, 673
 Pourbaix diagrams: revised data for Ni compounds, 546

Precipitates: phase in 304 sensitized steel, 39

Radiation, nuclear: 304 sensitized vs 250 C HPW +, 325

S

Salt, molten: sodium chloride/sulfate vs high Ni alloys, 392
 Sandvik 3RE60, 327

Sensitization: Al 5083 attack in NaCl due to, 455

Sensitization: see metallurgical effects also

Silicon: CrNi (HK-40) vs 1094 C oxidation, 187

dioxide: erosion-corrosion of Al in water, Infil of, 563

SODIUM

carbonates: 90 C vs ferritic steels, 650
 chloride: 304 sensitized; SCC in hot sol., 312

*: 2024, 7075 Al + or - inhibitors, fatigue tests in sol., 285

*: 5083 Al tests for SCC in, 455

*: N-80 stressed vs 2pH, 449

*: 3% vs C steel, inhibitor tests, 84

*: 3% vs steel, polyamine-phosphonic inhibitors for, 262

*: Al vs, 358

*: AlMnSiFe exfoliation tests in acidified sol., 627

*: ammonia, liquid content vs SCC of low alloy steel, 131

* + carbon/dioxide/H₂S sol. vs Cr, Ni steels, 327

*: steel attack by suspended Fe sulfides in sol. of, 297

*: steel vs solutions, 384

* + sulfate, 900 C vs NiCrCoAlMoTi, 392

* + sulfate sol. pitting tests, Infil velocity 665

*: Ti crevices vs pH7 sat. sol., Infil oxide type, 585

*: turbine steel vs steam +, 682

hydroxide: 40% vs NiCrMoV steels, 491

* + sodium chloride vs 5086 Al, 673

*: steels, ferritic vs boiling, 650

nitrate: steels, ferritic vs boiling, 650

salts + CuO, PbO + NaOH vs stressed NiCrMoV steel; 491

sulfate: 304 sensitized SCC in hot sol., 312

* + chloride, 900 C vs NiCrCoAlMoTi, 392

*: turbine steel vs, 682

Solvents: acetone, butanol, ethanol, ether, methanol, benzene + HCl vs metals, 161

Specimen preparation: procedure variation effects, 63

STEAM

100 C: NiCrMoV steel vs, Infil of impurities, 682

290-365 C: 15Cr75NiFe vs, 597

NiCrMoV steel vs impurities in, 491

STEELS, CARBON

- 1018: oxide scale formation in high purity water, 152
- 1040: pH, sulfide ion conc. effects in alkaline, neutral sol., 611
- 1080: hydrogen thermal removal from electroplated, 115
- JIS SS41: passivation in deionized water, 267
- N-80: H pickup stressed in 2pH NaCl sol., 449
- API x 70, others hydrogen sulfide cracking, 5
- XC 35: inhibition by polyamines + P in NaCl sol, 262
- amine inhibitors for NaCl sol vs, 89
- ammonium nitrate dilute sol vs, 209
- brine, anaerobic vs, infl suspended Fe sulfides, 297
- cast: continuously and ingot ship plates vs salt water, atmos., 279
- castings: "active" sulfides in, 279
- coatings delamination on cold rolled, 28
- depolarization by ferric ion reducing bacteria, 461
- depolarization of films by ferric ion reducing bacteria, 632
- + ferritic steels vs 350 C water, 591
- hot rolled continuous and ingot castings compared, 279
- pipeline: alloying, inclusions, stresses affecting HSC of, 247
- SCC potentials with NaOH in cracks, 378
- sulfuric acid, deaerated, effects of velocity, C content, 407
- topological analysis of H embrittlement, 530
- torsion twisted in chlorides, infl of Na nitrite, 16

STEELS, CHROMIUM

- 410: carbon dioxide/H₂S + NaCl sol vs, 327
- 430: intergranular attack susceptibility tests, 437
- 446, 502: hot oxidation tests, 700
- 26Cr1Mo and 2Mo SCC in chlorides, 199
- 29Cr4Mo vs chlorides, 199

Steel, chromium-molybdenum: ferritic-austenitic (duplex) vs CO₂/H₂S/NaCl sol., 327

STEELS, CHROMIUM NICKEL

304 AISI

- 100-250 C NaCl sol vs sensitized, 616
- cracking surveillance in boiling MgCl₂, 228
- duplex, sensitized and not, grain effects, 60
- HCl + solvents vs, 161
- IG attack, end grain pitting tests, 481
- mechanical, heat treat vs SCC, 506
- oxide scale formation in 250 C water, 152
- pitting tests in NaCl/NaSO₄ sol., 665
- residual stress vs SCC, 142
- sensitization heat treat, effects on, 39
- sulfurous acid vs sensitized, 412
- + 304L vs 250C HPW + or - O₂ Pb, 341

- + 304 L, SCC of welded, cyclic stress effects, 243
- + 316 crevice attack mechanism, 363
- + 316 surface effects in acidic chlorides, 21
- + 316, 317 vs sea water, ferric chloride, 178

- 304L: tensile tests in hot HPW, 58
- 308: duplex: SCC susceptibility tests, 104
- 316: carbon dioxide/H₂S/NaCl sol vs, 327
- 347: hot, contaminated high purity water vs, 147

Steels, ferritic: SCC tests: alloying effects, 650

STEELS, HIGH STRENGTH

- ASTM A517: liquid ammonia SCC, 131
- 4140: cold drawn wire H-induced cracking, 429
- API J-55, C-75, N-80, P-105 SCC in HCl tests, 443
- hydrogen embrittlement: acoustic emission detection, 690
- hydrogen yield strength effects, 514
- Steels, low alloy: SCC in H₂S sol + or - inhibitors, 320
- Steels, low alloy, turbine disc (ASTM A-471) vs steam impurities, 682
- Steels, maraging: see steels, nickel
- Steels, nickel: carbon dioxide/H₂S/NaCl sol vs, 327
- Steels, nickel: NiMoCo maraging, SCC tests, 50, 63
- Stepwise cracking of pipeline steels, 247

STRESS

- 2124 Al: direction affecting SCC, 125
- cyclic: SCC of welded 304 due to 243 residual: 304 SCC in 245 C HPW, 142
- "": 304 SCC in boiling MgCl₂, 142
- "": welds in pipeline steel, infl on SCC, 5
- tensile, H-induced cracking of pipeline steels due to, 247
- torsion: steel bars in chlorides, Na nitrite inhibitors for, 16

Stress corrosion: 16Cr75NiFe vs 200 C NaS/K, 417

STRESS CORROSION CRACKING

- 300, 350, 400 grade maraging steels, 50, 63

304 AISI

- crack tip surveillance in boiling MgCl₂, 228
- cracks examined after recrystallization, 427
- mass influencing, 243
- mechanical, heat treat, polarization vs, 506
- sensitized vs 100-250 C NaCl sol., 616
- " 250 C HPW + or - radiation exposure, 325
- "": chloride, sulfate sol vs, 312
- "": sulfurous acid vs, 412
- + 304L welded, cyclic loading effects, 243

308 duplex: detection of susceptibility to, 104

- 2124 Al: grain morphology infl, 125
- 2124 Al: oxygenated water tests, 98
- 5083 Al: 3.5% NaCl vs, 455
- 15Cr75Ni9FeAlCoCuTiSi under constant strain in steam, 597
- 26Cr1Mo in chlorides, 199
- Cr and Ni SS in CO₂/H₂S/NaCl sol, 327
- CrNi steels and alloys, monel in HPW, 341
- external polarization affecting, 378
- NiCrMoV in 100 C impure steam, 491
- pipeline steels vs H₂S, 5
- steels, ferritic: alloying effects vs boiling NaNO₃, NH₄NO₃, 650
- steels, low alloy in liquid ammonia, 131
- steels, low alloy in water + or - H₂S and inhibition, 320
- U alloys in wet air + NaCl, 81
- zirconium alloys: > 20% HNO₃, 292

Sulfates: Al pitting in chlorides, infl of, 645

Sulfides: corrosion-cracking of pipeline steels in, 5

Sulfides: 1040 steel in 6-14 pH sol +, 611

SULFUR

- grain segregation in duplex 304, 60
- dioxide: liquid ammonia content vs SCC of low alloy steel, 131
- trioxide: 900 C vs high NiCrCoAlMoTi, 392

SURFACE AND INTERFACE

- 304, 316 vs acidic chlorides, 21
- anodic oxide films on steel from dianodic inhibitor, 214
- cold rolled steel vs coatings, 28
- hydrous oxide scaling mechanism in 250 C water, 152
- hydrogen and oxygen phenomena on C, ferritic steels in high temp water, 591
- cold rolled steel, results of various, 28
- pickling effects, 597
- Ti by anodizing, 585

T

Tafel slope calculations, 723

TEMPERATURE, °C

- 120 to + 120: hydrogen cracking tests on steel, 514
- 22-190: carbon dioxide/H₂S/NaCl sol. vs Cr and Ni SS, 327
- 25-300: potential-pH diagrams, Cr, Mo, Pt, Ti-H₂O, 467
- 50-90: hydrochloric acid vs high strength API steels, 443
- 90: water vs Al at 28 m/sec, 563
- 100: sodium/chloride/sulfate sol. vs turbine steels, 682
- 100: steam vs NiCrMoV, infl impurities, 491
- 100-250: chloride, sulfate sol. vs stressed sensitized 304, 312
- 150-250: secondary PWR water vs CrNi alloys, 147
- 100-250: SCC of 304 in NaCl sol, 616

200: sodium sulfate/K vs hydrogen charged IN 600, 417
 250: water, high purity vs sensitized 304, 325
 250: water, hydrous oxide scales in, 152
 250-880: oxidation, Cr, Fe AISI 446, 502 steels, 700
 288: water, high purity vs 308 duplex, 104
 288: water, high purity tensile tests of 304L, 58
 290-365: steam vs 15Cr75NiFe, 597
 350: water vs C and ferritic steels, 591
 355: deionized water vs Zr2, 575
 700-1000: oxidation Co8Cu, 638
 900: sodium chloride/sulfate vs high Ni alloy Nimonic 106, 392
 950-1050: carbon di and monoxide vs 30Cr 30Ni tubes, 712
 1094: 25Cr 20Ni vs oxidation at, infl Si, 178
 hydrogen SCC of pipeline steels, infl of, 247
 zinc + borax in glycol, reactions at low, 389

TESTS, ACCELERATED

crevice constant extension rate (CERT), 58
 coatings delamination from cold rolled steel, 28
 intergranular, pitting of 308 duplex to SCC, 104
 polarization: anodic, 308 duplex, others in H_2SO_4 , 104
 salt spray: hot rolled cast steels vs, 279

TEST EQUIPMENT

acoustical detection of hydrogen embrittlement, 690
 bacterial effects on steel, 461
 carburization, 187
 cathodic charging, 585
 corrosion fatigue, 285
 erosion-corrosion: Al vs water, 563
 high pressure water vs tubing, 341
 H permeation polarization circuit, 449
 iron anode to cathode area, oxygen concentration cell, 540
 noncondensable gases in liquid ammonia, 131
 pH-sulfide sol vs steel, 611
 pitting of Al, 645
 residual stress evaluation, 142
 seawater: flowing vs cast iron, 485
 sea water high velocity, 232
 slow strain rate aqueous immersion, 98
 slow strain rate, high temp aq. sol., 312
 SCC high strength steels, 443
 tensile stress cracking, 63

TESTS, LABORATORY

125 C chlorides vs 26Cr1Mo, 199
 1094 C: hydrogen methane, CO vs HK-40, 187
 aluminum anode/steel couples in de-aerated 2.6, 5.4 pH sea water, 533
 " attack acceleration and inhibition in NaCl sol, 92
 " SCC, slow strain rate vs alternate immersion, 98
 alternate immersion: Al SCC, 125
 ASTM A262A: 304 localized attack, 481
 anaerobic bacteria vs pipeline steel, 461

calcareous deposits on steel in sea water, 70
 calcium carbonate crystallization, 76
 calcium carbonate scale, inhibitor effects, 76
 carburization: 30Cr 30Ni tubes vs CO, CO_2 , 712
 cathodic protection: bronze vs CuNi in sea water, 349
 CrNi steel, susceptibility to SCC, 243
 Cr and Ni steels SCC and weight loss in $CO_2/H_2S/NaCl$ sol, 327
 coatings delamination from steel, 28
 constant deflection, extension rate tests, 15Cr75NiFe in steam, 597
 constant load: NiCrMoV Steels vs 100 C, NaOH, 491
 crevices: CrNi steels vs ferric chloride, 178
 cupronickel rotating disk vs H_2SO_4/KCl sol, 426
 depolarization of Fe passive films by bacteria, 632
 electrochemical: 304 sensitization infl of heat treat, 39
 " 304 vs 100-250 C NaCl sol., 616
 " 304 sensitized, slow strain SCC in chlorides, sulfates, 312
 " 304, 316 crevice attack on acidic chlorides, 21
 " 1040 steel, infl pH, sulfide sol, 611
 " Al 5086 vs acidified NaCl sol., 673
 " Al vs 3-30 m/s sea water, 232
 " 53Ni16Cr20Co vs 900 C molten salts, 392
 " amine inhibitors in NaCl sol vs steel, 89
 " amine-phosphonate inhibitors for steel vs NaCl, 262
 " amino phosphonate inhibitor + or - nitrite, 214
 " benzotriazole, substituted for Fe vs H_2SO_4 , 271
 " brass, alpha dealloying, 256
 " chromium-Ni alloys in hot NaCl, Na_2HPO_4 contaminated water, 147
 " copper vs H_2SO_4 , inhibition, 223
 " crevice attack on CrNi steels, 363
 " iron pitting in halides, sulfates, 569
 " irrigation water + NH_4NO_3 vs C steel, 209
 " ferritic steels, infl alloying vs SCC, 650
 " pipeline steels vs H_2S , 247
 " polarization Nb vs acidic Sol, 170
 " potential in growing crack, 378
 " potential, impedance buffered sol vs W, 175
 " potentiometric reactivation for 304, 481
 " steel, low alloy SCC in H_2S sol + or - inhibitors, 320
 " stressed steel vs sulfurous acid, 412
 " SCC vs J-55, C-75, N-80, P-105 steels on HCl, 443
 " torsion twisted steel vs chlorides, effects of Na nitrite, 16
 " Zr in HNO_3 , 292
 electron bombardment of passive films, 549
 electron microscopic: 304 SCC in hot HPW, 325
 " Al in high velocity sea water, 232
 " crack tips in boiling $MgCl_2$, 226

ellipsometric: carbon steel vs deionized water, + O_2 , 267
 exfoliation: AlMnSiFe in acidified NaCl sol., 627
 ferric chloride: crevice test results variability, 608
 fractographic, cold drawn steel wire, 429
 fractographic: topological of H embrittlement, 530
 grid counting: 304 localized attack, 481
 hydrogen diffusion through steel, quantification, 591
 hydrogen embrittlement high strength steel, 690
 impedance: AC data recording and analysis, 301
 ion beam analysis: films on Zr2 in hot water 575
 iron chloride: Cr, Ni steels pitting in, 327
 isotopic: O^{18} , D labelled water vs Zr2, 575
 micrographic: 53Ni16Cr20Co alloys vs 900C molten salts, 392
 NACE tension vs pipeline steels in H_2S , 5
 oxidation: 700-1000 C Co8Cu, 638
 pipeline HSC, full size segment tests, 5
 pitting: geometry kinetics vs velocity, 665
 polarization: 304 in $MgCl_2$, infl deformation heat treat., 506
 " N-80 in acidified NaCl, 449
 " Al erosion-corrosion in water, 563
 " computer analysis of data, 696
 " linear for crevice attack on Al, 123
 " Ti oxides, 585
 " turbine steel in steam + chlorides, sulfates, 682
 " zinc inhibition in acids, 557
 potential-pH: Cr, Mo, Pt, Ti- H_2O diagrams, 25-300 C, 467
 potentiokinetic: 5083 Al SCC in NaCl, 455
 potentiometric: 22.8Ni 2.5C 2Cr 2.3 Si 1.2Mn 0.2Cu cast iron vs flowing de-aerated sea water, 485
 potentiostatic: Al pitting growth rates, 645
 potentiostatic: C steel vs H_2SO_4 , 409
 recrystallization: cracked 304, 427
 slow strain rate: NiCrMoV steels vs 100 C, 40% NaOH, 491
 slow strain rate: steels, ferritic SCC, 650
 slurry pipeline, 1
 spectroscopic: 38840Ni alloys + Fe vs 8.8 pH bicarbonate, 1M HCl sol, 549
 " brass, alpha dealloying, 256
 spectroscopic: H-charged IN600 vs molten NaS/K, 417
 " oxidation, 250-880 C of Cr, Fe Cr steels, 700
 " powders from molten salts vs 53Ni 16Cr 20Co, 392
 steels, maraging SCC in air NaCl, HF 50, 63
 stress cracking of cold drawn steel wire, 429
 stress corrosion: 304 in $MgCl_2$, 506
 SCC: U alloys in wet air + or - NaCl, 81
 SCC: Zr, slow strain rate on NH_3 , 292
 tensile: CrNi steels and alloys in hot HPW, 341
 titanium oxides vs boiling HCl, 585
 Ti plasma sprayed coatings on steel, 50

weight loss: iron sulfides in brine vs steel, 297

zinc phosphate coatings, continuity, 28

Tests, non-destructive: acoustic emission: hydrogen embrittlement detection by, 690

TESTS, ON SITE

CrNi steels vs sea water, 178

sea water: 3-30 m/s vs 5456 Al, 232

Ti plasma coatings on steel in sea water, 50

TEST TECHNIQUES

crevice attack, potentiostatic, 21

fractographic: 308 duplex heat treat. effects, 104

" : Al fatigue, 285

" : SCC of 304 in boiling $MgCl_2$, 226

" : U alloys SCC in wet air + NaCl, 81

intergranular attack resistance: acid/

Cu sulfate etchings, 437

polarization: scan rate selection, 545

sampling for liquid ammonia, 131

tensile, constant extension, steel in HPW, 58

TIME

Al vs high velocity sea water, attack rate vs, 232

Al pitting in chlorides, infl of, 645

calcareous deposits on cathode in sea water, infl of, 70

TITANIUM

Incoloy 800: alloying with IG attack vs, 498

oxide films on merit of types, 585

steels, ferritic: alloying infl vs SCC, 650

Tungsten: passive films on, 175

U - V

Uddeholm 904L, 178

UHB stainless 904L, 327

Uranium and alloys: wet air + NaCl vs depleted, 81

Uranium hexafluoride-hydrogen fluoride vs maraging steels, 63

Uranus 50, 327

Vacuum: maraging steels vs U fluoride/HF, tensile tests in, 63

VELOCITY

0-4.42 meters/sec. (0-14.5 ft/sec) sea water vs Ni cast iron, 485

1.55 m/sec: pitting geometry, kinetic effects, 665

2-3.5 m/sec: sand + water vs steel, 1

3-30 m/s: sea water vs Al, 232

28 m/sec 90 C water vs Al, 563

29.6 m/sec: sea water vs bronze-CuNi couple, 349

calcareous deposits on cathode, infl sea water, 70

sea water vs Al galvanic anodes, 533

steel, C rotating disc vs deaerated H_2SO_4 , effect of, 407

Viscosity: solvents + or - HCl, infl vs metal attack, 161

W - Z

Water cooling: nitrite/methylamine/phosphonate inhibitor tested for, 214

Water cooling: phosphonates to control Ca sulfate deposition from, 120

Water, fresh: hot rolled steel plates < 39 mo tests in, 279

WATER, GENERAL

2024, 7075 Al + or - inhibitors, fatigue tests in, 285

chemistry affecting erosion-corrosion of Al, 563

deaerated vs C and ferritic steels at 350 C, 591

irrigation ground water vs C steel, 209

maraging steels, tensile cracking, infl of, 63

WATER, SALT

3% 4-9 pH vs 5086 Al, 673

hot rolled cast steel vs, 279

iron sulfides suspended in vs steel, 297

WATER, HIGH PURITY

2024, 7075 Al: fatigue tests + NaCl, inhibitors, 285

90 C, 28 m/sec + or - $CaCO_3$, SiO_2 in, 563

150-250 C: sodium and phosphate contaminated water vs CrNi alloys, 147

245 C: 304 SCC in, 142

250 C: 304 sensitized + or - radiation vs, 325

288 C: 304L tensile tests in, 58

288 C vs 308 duplex steels, 104

290-365 C; 15Cr 75Ni Fe SCC tests in deaerated, 597

355 C: Zr2 vs, 575

CrNi steels and alloys + or - O_2 , Pb vs 250 C, 341

steel, carbon vs; ellipsometric tests, 267

WATER, SEA

Al-steel galvanic couples in moving, 533

arctic: CrNi steels, 2 yr vs, 178

calcium, magnesium deposits from

cathodic protection in, 70

cathodic protection of bronze vs CuNi in high velocity, 349

deaerated: flowing sea water vs high Ni

cast iron, 485

CrNi steels: 2 yr vs arctic, tropic, 178

hot rolled steel plates < 39 mo tests in flowing, 279

+ H_2S : pipeline steels cracking in, 247

Ti plasma coating vs, 55

Welding: see fabrication

Whitney Award 1981 lecture, 371

Wire, H-induced delayed failure of steel, 429

Zinc and alloys: 99.96%, HCl + solvents vs, 161

Zinc and alloys: acetic, hydrochloric, sulfuric acids, inhibition, 557

ZIRCONIUM AND ALLOYS

nitric acid SCC of, 292

oxidation rate calculations, 721

Zircaloy 2: 355 C deionized water vs, 575

